

PROMO 2025

SCT TOOLS & FAI TOOLS

50% SCONTO



P+K

SCT
TOOLS

FAI TOOLS
30. dal 1989
Web: www.faitools.it
Mail: info@faitools.it
Tel: 051.782510

50% SCONTO



DIN 6535 HA	DIN 6535 HB	Dc	Ds	Lc	Ln	Dn	Lt	c	z	€
BLC4L03038VN	BLW4L03038VN	3,0	6	8	14	2,8	57	0,05	4	19,68
BLC4L03538VN	BLW4L03538VN	3,5	6	10	16	3,3	57	0,05	4	19,68
BLC4L04038VN	BLW4L04038VN	4,0	6	11	16	3,8	57	0,05	4	19,68
BLC4L04538VN	BLW4L04538VN	4,5	6	11	18	4,3	57	0,07	4	19,68
BLC4L05038VN	BLW4L05038VN	5,0	6	13	18	4,8	57	0,10	4	19,68
BLC4L06038VN	BLW4L06038VN	6,0	6	13	19	5,7	57	0,10	4	19,68
BLC4L08038VN	BLW4L08038VN	8,0	8	19	25	7,6	63	0,20	4	24,78
BLC4L10038VN	BLW4L10038VN	10,0	10	22	30	9,5	72	0,25	4	38,63
BLC4L12038VN	BLW4L12038VN	12,0	12	26	36	11,5	83	0,30	4	48,23
BLC4L14038VN	BLW4L14038VN	14,0	14	26	36	13,5	83	0,35	4	66,75
BLC4L16038VN	BLW4L16038VN	16,0	16	32	42	15,5	92	0,40	4	78,95
BLC4L18038VN	BLW4L18038VN	18,0	18	32	42	17,5	92	0,45	4	103,52
BLC4L20038VN	BLW4L20038VN	20,0	20	38	52	19,5	104	0,50	4	120,28



50% SCONTO



DIN 6535 HA	DIN 6535 HB	Dc	Ds	Lc	Ln	Dn	Lt	c	z	€
BLC3L04045RN	BLW3L04045RN	4,0	6	11	16	3,8	57	0,15	3	23,36
BLC4L05045RN	BLW4L05045RN	5,0	6	13	18	4,8	57	0,20	4	23,36
BLC4L06045RN	BLW4L06045RN	6,0	6	13	19	5,7	57	0,30	4	23,36
BLC4L08045RN	BLW4L08045RN	8,0	8	19	25	7,6	63	0,30	4	31,03
BLC4L10045RN	BLW4L10045RN	10,0	10	22	30	9,5	72	0,30	4	41,91
BLC4L12045RN	BLW4L12045RN	12,0	12	26	36	11,5	83	0,30	4	56,65
BLC4L14045RN	BLW4L14045RN	14,0	14	26	36	13,5	83	0,35	4	68,84
BLC4L16045RN	BLW4L16045RN	16,0	16	32	42	15,5	92	0,40	4	92,91
BLC5L16045RN	BLW5L16045RN	16,0	16	32	42	15,5	92	0,40	5	92,91
BLC5L18045RN	BLW5L18045RN	18,0	18	32	42	17,5	92	0,45	5	108,29
BLC5L20045RN	BLW5L20045RN	20,0	20	38	52	19,5	104	0,50	5	142,04
BLC6L20045RN	BLW6L20045RN	20,0	20	38	52	19,5	104	0,50	6	142,04



SCT
TOOLS

FAITTOOLS
30. dal 1989
Web: www.faitools.it
Mail: info@faitools.it
Tel: 051.782510

50% SCONTO

P + K

$\lambda = 37^\circ$
 38°

AlCrN

c[45°]
0,06-0,50



h10



DIN 6535 HA	DIN 6535 HB	Dc	Ds	Lc	Ln	Dn	Lt	c	z	€
BLC5X03038VN	BLW5X03038VN	3,0	6	9	14	2,8	62	0,06	5	21,62
BLC5X04038VN	BLW5X04038VN	4,0	6	12	18	3,8	62	0,08	5	21,62
BLC5X05038VN	BLW5X05038VN	5,0	6	15	21	4,8	62	0,10	5	21,62
BLC5X06038VN	BLW5X06038VN	6,0	6	18	24	5,7	62	0,12	5	21,60
BLC5X08038VN	BLW5X08038VN	8,0	8	24	30	7,6	68	0,16	5	27,64
BLC5X10038VN	BLW5X10038VN	10,0	10	30	38	9,5	80	0,20	5	40,94
BLC5X12038VN	BLW5X12038VN	12,0	12	36	46	11,5	93	0,24	5	54,59
BLC5X14038VN	BLW5X14038VN	14,0	14	42	50	13,5	100	0,28	5	74,18
BLC5X16038VN	BLW5X16038VN	16,0	16	48	58	15,5	108	0,32	5	101,66
BLC5X18038VN	BLW5X18038VN	18,0	18	54	67	17,5	115	0,36	5	129,81
BLC5X20038VN	BLW5X20038VN	20,0	20	60	74	19,5	126	0,40	5	157,46
BLC5X25038VN	BLW5X25038VN	25,0	25	75	92	24,0	150	0,50	5	277,91



SCT
TOOLS

FAITTOOLS
30. dal 1989
Web: www.faitools.it
Mail: info@faitools.it
Tel: 051.782510