

PROMO 2023

SCT TOOLS & FAI TOOLS

50% SCONTO



P+K

M+S

SCT
TOOLS

FAI TOOLS
30...dal 1989
Web: www.faitools.it
Mail: info@faitools.it
Tel: 051.782510

50% SCONTO



DIN 6535 HA	DIN 6535 HB	Dc	Ds	Lc	Ln	Dn	Lt	c	z	€
BLC4L03038VN	BLW4L03038VN	3,0	6	8	14	2,8	57	0,05	4	36,12
BLC4L03538VN	BLW4L03538VN	3,5	6	10	16	3,3	57	0,05	4	36,12
BLC4L04038VN	BLW4L04038VN	4,0	6	11	16	3,8	57	0,05	4	36,12
BLC4L04538VN	BLW4L04538VN	4,5	6	11	18	4,3	57	0,07	4	36,12
BLC4L05038VN	BLW4L05038VN	5,0	6	13	18	4,8	57	0,10	4	36,12
BLC4L06038VN	BLW4L06038VN	6,0	6	13	19	5,7	57	0,10	4	36,12
BLC4L08038VN	BLW4L08038VN	8,0	8	19	25	7,6	63	0,20	4	45,48
BLC4L10038VN	BLW4L10038VN	10,0	10	22	30	9,5	72	0,25	4	70,90
BLC4L12038VN	BLW4L12038VN	12,0	12	26	36	11,5	83	0,30	4	88,52
BLC4L14038VN	BLW4L14038VN	14,0	14	26	36	13,5	83	0,35	4	122,50
BLC4L16038VN	BLW4L16038VN	16,0	16	32	42	15,5	92	0,40	4	144,89
BLC4L18038VN	BLW4L18038VN	18,0	18	32	42	17,5	92	0,45	4	189,99
BLC4L20038VN	BLW4L20038VN	20,0	20	38	52	19,5	104	0,50	4	220,76



50% SCONTO



DIN 6535 HA	DIN 6535 HB	Dc	Ds	Lc	Ln	Dn	Lt	c	z	€
BLC3L04045RN	BLW3L04045RN	4,0	6	11	16	3,8	57	0,15	3	42,86
BLC4L05045RN	BLW4L05045RN	5,0	6	13	18	4,8	57	0,20	4	42,86
BLC4L06045RN	BLW4L06045RN	6,0	6	13	19	5,7	57	0,30	4	42,86
BLC4L08045RN	BLW4L08045RN	8,0	8	19	25	7,6	63	0,30	4	56,95
BLC4L10045RN	BLW4L10045RN	10,0	10	22	30	9,5	72	0,30	4	76,91
BLC4L12045RN	BLW4L12045RN	12,0	12	26	36	11,5	83	0,30	4	103,97
BLC4L14045RN	BLW4L14045RN	14,0	14	26	36	13,5	83	0,35	4	126,35
BLC4L16045RN	BLW4L16045RN	16,0	16	32	42	15,5	92	0,40	4	170,52
BLC5L16045RN	BLW5L16045RN	16,0	16	32	42	15,5	92	0,40	5	170,52
BLC5L18045RN	BLW5L18045RN	18,0	18	32	42	17,5	92	0,45	5	198,74
BLC5L20045RN	BLW5L20045RN	20,0	20	38	52	19,5	104	0,50	5	260,69
BLC6L20045RN	BLW6L20045RN	20,0	20	38	52	19,5	104	0,50	6	260,69



SCT
TOOLS

FAITTOOLS
30. dal 1989
Web: www.faitools.it
Mail: info@faitools.it
Tel: 051.782510

50% SCONTO

P + K

$\lambda = 37^\circ$
 $= 38^\circ$

AlCrN

r
0,50-3,00



e8



DIN 6535 HA

DIN 6535 HB

		Dc	Ds	Lc	Ln	Dn	Lt	r	z	€
BLC5X06038VNT05	BLW5X06038VNT05	6,0	6	18	24	5,7	62	0,5	5	45,16
BLC5X06038VNT10	BLW5X06038VNT10	6,0	6	18	24	5,7	62	1,0	5	45,16
BLC5X08038VNT05	BLW5X08038VNT05	8,0	8	24	30	7,6	68	0,5	5	62,89
BLC5X08038VNT10	BLW5X08038VNT10	8,0	8	24	30	7,6	68	1,0	5	62,89
BLC5X10038VNT05	BLW5X10038VNT05	10,0	10	30	38	9,5	80	0,5	5	92,80
BLC5X10038VNT10	BLW5X10038VNT10	10,0	10	30	38	9,5	80	1,0	5	92,80
BLC5X10038VNT20	BLW5X10038VNT20	10,0	10	30	38	9,5	80	2,0	5	92,80
BLC5X12038VNT05	BLW5X12038VNT05	12,0	12	36	46	11,5	93	0,5	5	122,11
BLC5X12038VNT10	BLW5X12038VNT10	12,0	12	36	46	11,5	93	1,0	5	122,11
BLC5X12038VNT20	BLW5X12038VNT20	12,0	12	36	46	11,5	93	2,0	5	122,11
BLC5X16038VNT05	BLW5X16038VNT05	16,0	16	48	58	15,5	108	0,5	5	196,82
BLC5X16038VNT10	BLW5X16038VNT10	16,0	16	48	58	15,5	108	1,0	5	196,82
BLC5X16038VNT20	BLW5X16038VNT20	16,0	16	48	58	15,5	108	2,0	5	196,82
BLC5X20038VNT10	BLW5X20038VNT10	20,0	20	60	74	19,5	126	1,0	5	302,20
BLC5X20038VNT20	BLW5X20038VNT20	20,0	20	60	74	19,5	126	2,0	5	302,20
BLC5X20038VNT30	BLW5X20038VNT30	20,0	20	60	74	19,5	126	3,0	5	313,19



SCT
TOOLS

FAI TOOLS
30...dal 1989
Web: www.faitools.it
Mail: info@faitools.it
Tel: 051.782510

50% SCONTO

P + K

$\lambda = 37^\circ$
 38°

AlCrN

r
0,50-3,00



e8



DIN 6535 HA	DIN 6535 HB	Dc	Ds	Lc	Ln	Dn	Lt	r	z	€
BLC5X06038XVNT05	BLW5X06038XVNT05	6,0	6	24	30	5,7	70	0,5	5	60,54
BLC5X06038XVNT10	BLW5X06038XVNT10	6,0	6	24	30	5,7	70	1,0	5	60,54
BLC5X08038XVNT05	BLW5X08038XVNT05	8,0	8	32	38	7,6	80	0,5	5	83,78
BLC5X08038XVNT10	BLW5X08038XVNT10	8,0	8	32	38	7,6	80	1,0	5	83,78
BLC5X10038XVNT05	BLW5X10038XVNT05	10,0	10	40	48	9,5	90	0,5	5	121,87
BLC5X10038XVNT10	BLW5X10038XVNT10	10,0	10	40	48	9,5	90	1,0	5	121,87
BLC5X10038XVNT20	BLW5X10038XVNT20	10,0	10	40	48	9,5	90	2,0	5	121,87
BLC5X12038XVNT05	BLW5X12038XVNT05	12,0	12	48	58	11,5	110	0,5	5	155,87
BLC5X12038XVNT10	BLW5X12038XVNT10	12,0	12	48	58	11,5	110	1,0	5	155,87
BLC5X12038XVNT20	BLW5X12038XVNT20	12,0	12	48	58	11,5	110	2,0	5	155,87
BLC5X16038XVNT05	BLW5X16038XVNT05	16,0	16	64	74	15,5	130	0,5	5	271,41
BLC5X16038XVNT10	BLW5X16038XVNT10	16,0	16	64	74	15,5	130	1,0	5	271,41
BLC5X16038XVNT20	BLW5X16038XVNT20	16,0	16	64	74	15,5	130	2,0	5	271,41
BLC5X20038XVNT10	BLW5X20038XVNT10	20,0	20	80	94	19,5	150	1,0	5	404,05
BLC5X20038XVNT20	BLW5X20038XVNT20	20,0	20	80	94	19,5	150	2,0	5	404,05
BLC5X20038XVNT30	BLW5X20038XVNT30	20,0	20	80	94	19,5	150	3,0	5	408,59



SCT
TOOLS

FAITOOOLS
Web: www.faitools.it
Mail: info@faitools.it
Tel: 051.782510

50% SCONTO

M+S

$\chi = 41^\circ$
 42°

AlCr

r
0,10-3,00



e8



DIN 6535 HA	DIN 6535 HB	Dc	Ds	Lc	Ln	Dn	Lt	r	z	€
BLC5X06042VNT01	BLW5X06042VNT01	6,0	6	18	24	5,7	62	0,1	5	50,12
BLC5X06042VNT05	BLW5X06042VNT05	6,0	6	18	24	5,7	62	0,5	5	50,12
BLC5X06042VNT10	BLW5X06042VNT10	6,0	6	18	24	5,7	62	1,0	5	50,12
BLC5X08042VNT02	BLW5X08042VNT02	8,0	8	24	30	7,6	68	0,2	5	67,05
BLC5X08042VNT05	BLW5X08042VNT05	8,0	8	24	30	7,6	68	0,5	5	67,05
BLC5X08042VNT10	BLW5X08042VNT10	8,0	8	24	30	7,6	68	1,0	5	67,05
BLC5X10042VNT02	BLW5X10042VNT02	10,0	10	30	38	9,5	80	0,2	5	97,63
BLC5X10042VNT05	BLW5X10042VNT05	10,0	10	30	38	9,5	80	0,5	5	97,63
BLC5X10042VNT10	BLW5X10042VNT10	10,0	10	30	38	9,5	80	1,0	5	97,63
BLC5X10042VNT20	BLW5X10042VNT20	10,0	10	30	38	9,5	80	2,0	5	97,63
BLC5X12042VNT03	BLW5X12042VNT03	12,0	12	36	46	11,5	93	0,3	5	128,2
BLC5X12042VNT05	BLW5X12042VNT05	12,0	12	36	46	11,5	93	0,5	5	128,2
BLC5X12042VNT10	BLW5X12042VNT10	12,0	12	36	46	11,5	93	1,0	5	128,2
BLC5X12042VNT20	BLW5X12042VNT20	12,0	12	36	46	11,5	93	2,0	5	128,2
BLC5X16042VNT03	BLW5X16042VNT03	16,0	16	48	58	15,5	108	0,3	5	205,07
BLC5X16042VNT05	BLW5X16042VNT05	16,0	16	48	58	15,5	108	0,5	5	205,07
BLC5X16042VNT10	BLW5X16042VNT10	16,0	16	48	58	15,5	108	1,0	5	205,07
BLC5X16042VNT20	BLW5X16042VNT20	16,0	16	48	58	15,5	108	2,0	5	205,07
BLC5X20042VNT03	BLW5X20042VNT03	20,0	20	60	74	19,5	126	0,3	5	311,32
BLC5X20042VNT10	BLW5X20042VNT10	20,0	20	60	74	19,5	126	1,0	5	311,32
BLC5X20042VNT20	BLW5X20042VNT20	20,0	20	60	74	19,5	126	2,0	5	311,32
BLC5X20042VNT30	BLW5X20042VNT30	20,0	20	60	74	19,5	126	3,0	5	322,49



SCT
TOOLS

FAITOOOLS
30...dal 1989
Web: www.faitools.it
Mail: info@faitools.it
Tel: 051.782510

M+S

 $\lambda = 41^\circ$
 42°

AlCr

r
0,10-3,00

e8



DIN 6535 HA	DIN 6535 HB	Dc	Ds	Lc	Ln	Dn	Lt	r	z	€
BLC5X06042XVNT01	BLW5X06042XVNT01	6,0	6	24	30	5,7	70	0,1	5	66,17
BLC5X06042XVNT05	BLW5X06042XVNT05	6,0	6	24	30	5,7	70	0,5	5	66,17
BLC5X06042XVNT10	BLW5X06042XVNT10	6,0	6	24	30	5,7	70	1,0	5	66,17
BLC5X08042XVNT02	BLW5X08042XVNT02	8,0	8	32	38	7,6	80	0,2	5	91,83
BLC5X08042XVNT05	BLW5X08042XVNT05	8,0	8	32	38	7,6	80	0,5	5	91,83
BLC5X08042XVNT10	BLW5X08042XVNT10	8,0	8	32	38	7,6	80	1,0	5	91,83
BLC5X10042XVNT02	BLW5X10042XVNT02	10,0	10	40	48	9,5	90	0,2	5	134,06
BLC5X10042XVNT05	BLW5X10042XVNT05	10,0	10	40	48	9,5	90	0,5	5	134,06
BLC5X10042XVNT10	BLW5X10042XVNT10	10,0	10	40	48	9,5	90	1,0	5	134,06
BLC5X10042XVNT20	BLW5X10042XVNT20	10,0	10	40	48	9,5	90	2,0	5	134,06
BLC5X12042XVNT03	BLW5X12042XVNT03	12,0	12	48	58	11,5	110	0,3	5	173,06
BLC5X12042XVNT05	BLW5X12042XVNT05	12,0	12	48	58	11,5	110	0,5	5	173,06
BLC5X12042XVNT10	BLW5X12042XVNT10	12,0	12	48	58	11,5	110	1,0	5	173,06
BLC5X12042XVNT20	BLW5X12042XVNT20	12,0	12	48	58	11,5	110	2,0	5	173,06
BLC5X16042XVNT03	BLW5X16042XVNT03	16,0	16	64	74	15,5	130	0,3	5	294,94
BLC5X16042XVNT05	BLW5X16042XVNT05	16,0	16	64	74	15,5	130	0,5	5	294,94
BLC5X16042XVNT10	BLW5X16042XVNT10	16,0	16	64	74	15,5	130	1,0	5	294,94
BLC5X16042XVNT20	BLW5X16042XVNT20	16,0	16	64	74	15,5	130	2,0	5	294,94
BLC5X20042XVNT03	BLW5X20042XVNT03	20,0	20	80	94	19,5	150	0,3	5	442,46
BLC5X20042XVNT10	BLW5X20042XVNT10	20,0	20	80	94	19,5	150	1,0	5	442,46
BLC5X20042XVNT20	BLW5X20042XVNT20	20,0	20	80	94	19,5	150	2,0	5	442,46
BLC5X20042XVNT30	BLW5X20042XVNT30	20,0	20	80	94	19,5	150	3,0	5	447,33

SCT
TOOLSFAITOOOLS
30...dal 1989
Web: www.faitools.it
Mail: info@faitools.it
Tel: 051.782510